

Disclaimer:

- These are suggestions and examples. They do not reflect endorsement by SHEA, endorsing societies, or the authors, nor do they necessarily reflect approaches being taken by the authors' institutions.
- They are neither legal nor clinical advice.
- Employers should consult their own attorneys and other qualified professionals when making decisions regarding implementing a policy of COVID-19 vaccination as a condition of employment.
- These examples may not be able to be used by certain facilities or may be mutually exclusive.

World Health Organization Emergency Use Authorization Validated COVID-19 Vaccines

Manufacturer	Vaccine Type	Schedule	Fully Vaccinated	Eligible Ages
Pfizer-BioNTech	mRNA	Two doses, 21 days apart	≥14 days after second dose	≥12 years
Moderna	mRNA	Two doses, 28 days apart	≥14 days after second dose	≥18 years
Janssen (Johnson and Johnson)	Adenovirus vector	One dose	>14 days after dose	≥18 years
AstraZeneca (SK Bioscience)	Adenovirus vector	Two doses, 4-12 weeks apart	≥14 days after second dose	≥18 years
AstraZeneca (Serum Institute of India)	Adenovirus vector	Two doses, 28 days apart	≥14 days after second dose	≥18 years
Sinopharm (Beijing Institute of Biological Products Co Ltd)	Inactivated virus	Two doses, 21-28 days apart	≥14 days after second dose	≥18 years
Sinovac	Inactivated virus	Two doses, 14 days apart	≥14 days after second dose	≥18 years

Last updated 8/20/21